

Everything about the unique Knapen Trailers remote control



For several years Knapen Trailers has been offering its customers an optional unique remote control. Its big advantage is that all functions can be operated with a single remote control. As the driver you can operate the trailer remotely in a safe way and with the greatest ease of use. The specialists of Knapen Trailers will be glad to explain to you all the ins and outs of the use of these unique remote control:



Remote control set

The Knapen Trailers remote control set consists of a remote control and a receiver. With the remote control, you can easily operate the moving floor, the sheeting system, the tailgate, the axle lift and the work lighting. The receiver with emergency operation is located in the white receiver box on the trailer.



Remote control




Receiver

Use of the emergency control

The receiver box is located on the trailer, in the vicinity of the floor system. For your safety and the safety of your environment, there is a red emergency button on the outside of this box. In case of an emergency, you can use it to immediately turn off all functions that are controlled by the remote control.



The emergency control is located inside the receiver box. You can use it when the remote control does not work properly or when you have lost it. All functions available on your remote control, you can also find on the receiver.

You can activate the functions on the receiver by pressing and holding the 'ENABLE' button, together with the desired function.



Tip: If your system is not working, first check whether the emergency button has been accidentally pressed.

After use, please close the receiver box properly and make sure it's sealed watertight. This prevents moisture entering the cabinet and thus in the (cabling of the) receiver. This with the risk of downtime and all resulting financial consequences.



Tip : Never clean the white receiver box using a high pressure cleaner.

This can cause moisture to enter the (cabling of the) receiver. For more tips on cleaning your trailer, consult drivers' [tips 14: Proper cleaning saves 200 to 300 kgs weight](#) and [tip 15: Proper cleaning keeps the paintwork in top condition.](#)

Pairing of the remote control and the receiver

Should you lose the remote control or should an unforeseen defect occur nevertheless, then it may be necessary to replace the remote control or the receiver. In that case, it will be necessary to pair the remote control and the receiver again. Pairing is easy to do and ensures that both devices can communicate with each other again.

To pair the remote control and the receiver, please follow the steps below:



1

Make sure the trailer's lighting is on




2

Activate the emergency button so that the receiver does not get any power



3

Open the white receiver box




4

Press and hold the ENABLE button on the receiver and deactivate the emergency button. Release the ENABLE button after 4 seconds



5

Turn the remote control on by pressing start twice



6

Press 3 random buttons simultaneously on the remote control. The remote control and the receiver are now paired and ready for use

System expansion

There are three models available of the remote control: 5, 6 and 12 functions. If you want to expand your current system of 5 or 6 functions, that is possible. In the attached image you will find the options. Your Knapen Trailers service partner can inform you what needs to be adapted technically.

Batteries

The remote control works on batteries. If the red light of the battery indicator is on, the green LED light is not lit or the system does not respond consistently to the control, this can be a sign that the batteries need to be replaced.

It sounds very logical, but you do not want to stop due to empty batteries. So, always take along spare batteries.

Button	Position	5-Position	6-Position	12-Position
	System start			
	System stop			
	Floor "LOAD"			
	Floor "UNLOAD"			
	Lights			
	Axle			
	Winch			
OPEN	Roof / door			
CLOSE	Roof / door			



Tip: In Europe there are different voltages available. Use only 1.5V alkaline batteries. The use of 1.2V batteries or rechargeable batteries is not allowed.

SPARE PARTS

Before ordering spare parts to replace or expand your current system, you can contact your [dealer](#) or [servicepartner](#)

	30113804 transmitter 5 functions		30113805 transmitter 6 functions		30113806 transmitter 12 functions
	30113802 Receiver without casing 5/6 functions		30113803 Receiver without Casing 12 functions		BDIC040041 Receiver casing with emergency button
	BDIC050044 Junctionbox RF				

Tip: Print the drivers' tips and post them for your colleagues at the company cafeteria.
 Are you a driver on a moving floor and do you have a useful tip for your colleagues?
 Send your tip to marketing@knapen-trailers.nl and maybe you will see it in the next newsletter.

Subscribe via www.knapen-trailers.eu/newsletter and receive all new tips in your mailbox for free.